

FIG. 1(a)




FIG. 1(b)




FIG. 1(c)




FIG. 2(a)




FIG. 2(b)




FIG. 2(c)




FIG. 3(a)




FIG. 3(b)







FIG. 3(c)










FIG. 7




FIG. 8(a)




FIG. 8(b)






FIG. 9(a)







FIG. 9(b)





REPLACEMENT SHEET

Kazuhiro NISHIYAMA et al.

Serial No.: R53(b) Div of

SN 09/450,415 filed Nov. 30, 1999

Filed: September 25, 2003

FIG. 10(c)




FIG. 11(b)




FIG. 11(a)




FIG. 11(c)




FIG. 12




FIG. 13




FIG. 14






Figure 1 shows a grid of cells labeled with coordinates  $(x, y)$ . The grid is divided into four quadrants by a vertical line between  $x=3$  and  $x=4$ , and a horizontal line between  $y=3$  and  $y=4$ . The top-left quadrant contains cells  $(0,7)$  to  $(3,4)$ , the top-right  $(4,7)$  to  $(7,4)$ , the bottom-left  $(0,3)$  to  $(3,0)$ , and the bottom-right  $(4,3)$  to  $(7,0)$ . The bottom row of cells is labeled with  $x$ -coordinates  $0$  to  $7$ . The leftmost column of cells is labeled with  $y$ -coordinates  $0$  to  $7$ . The grid is surrounded by ellipses indicating it extends infinitely in all directions.

FIG. 16




FIG. 17




FIG. 18(a)




FIG. 18(b)




FIG. 18(c)




FIG. 19(a)




FIG. 19(b)




FIG. 19(c)




FIG. 20 (a)




FIG. 20 (b)




FIG. 20 (c)





FIG. 21



	←	→	↑	↓	total
R	8	8	8	8	0
G	8	8	8	8	0
B	8	8	8	8	0



FIG. 22

